Prenate Mini®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE MINI® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each oval softgel is teal green in color and imprinted with "Mini". Contains no ingredient made from a gluten containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	5		
Total Fat	0.5 g	<1%*	<1%*
Saturated Fat	0 g	0%†	0%†
Trans Fat	0 g	†	†
Vitamin C (as ascorbic acid)	60 mg	67%	50%
Vitamin D (as cholecalciferol)	25 mcg	125%	167%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	24%
Vitamin B6 (as pyridoxine HCl)	26 mg	1529%	1300%
Folate 1.1 mg Quatrefolic® (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	13 mcg	542%	464%
Biotin	280 mcg	933%	800%
Calcium (as calcium carbonate)	80 mg	6%	6%
Iron (as Sumalate® (ferrous asparto glycinate) and carbonyl iron)	18 mg	100%	67%
Iodine (as potassium iodide)	150 mcg	100%	52%
Magnesium (as magnesium oxide)	25 mg	6%	6%
Docosahexaenoic Acid (DHA)	350 mg	†	†
Blueberry Extract (vaccinium spp.)	25 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

PRENATE MINI® CONTAINS FISH OIL AND SOY.

OTHER INGREDIENTS: Beeswax, bovine gelatin, FD&C Blue #1, FD&C Yellow #5, fish (tuna) oil, glycerin, purified water, soy lecithin, titanium dioxide and vegetable shortening.

INDICATIONS: PRENATE MINI® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE MINI® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

This product contains FD&C Yellow No. 5 (tartrazine) which may cause allergic-type reactions (including bronchial asthma) in certain susceptible persons. Although the overall incidence of FD&C Yellow No. 5 (tartrazine) sensitivity in the general population is low, it is frequently seen in patients who also have aspirin hypersensitivity.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children**. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-315-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE MINI®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

Prenate Pixie®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE PIXIE® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each softgel is purple in color, opaque, and imprinted with "PIX". Prenate Pixie® contains no ingredient made from gluten-containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Vitamin C (as ascorbic acid)	30 mg	33%	25%
Vitamin D (as cholecalciferol)	12.5 mcg	63%	83%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	24%
Vitamin B6 (as pyridoxine HCl)	5 mg	294%	250%
Folate (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	13 mcg	542%	464%
Biotin	75 mcg	250%	214%
Iron (as ferrous asparto glycinate) Sumalate®	10 mg	60%	37%
Iodine (as potassium iodide)	150 mcg	100%	52%
Docosahexaenoic Acid (DHA)	200 mg	†	†
Blueberry Extract (vaccinium spp.)	5 mg	†	†

† Daily Value (DV) not established.

PRENATE PIXIE® CONTAINS FISH OIL AND SOY.

OTHER INGREDIENTS: Beeswax, palm shortening and soy lecithin. Capsule (caramel, FD&C blue #1, FD&C red #40, gelatin, glycerin, purified water and titanium dioxide).

INDICATIONS: PRENATE PIXIE® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE PIXIE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-316-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE PIXIE®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

Prenate Enhance®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE ENHANCE® is a prescription prenatal vitamin that contains 400 mg of DHA and advanced calcium. Each dark purple softgel is imprinted with "N" on one side and blank on the other.

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	10		
Total Fat	1 g	1%*	1%*
Saturated Fat	0 g	0%*	0%*
Trans Fat	0 g	†	†
Vitamin C (as ascorbic acid)	85 mg	94%	71%
Vitamin D (as cholecalciferol)	25 mcg	125%	167%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	24%
Vitamin B6 (as pyridoxine HCl)	25 mg	1471%	1250%
Folate 1.1 mg Quatrefolic® (as (6S)-5-methyltetrahydrofolate glucosamine salt (equivalent to 600 mcg of folic acid) and folic acid USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	12 mcg	500%	429%
Biotin	500 mcg	1667%	1429%
Calcium (as a blend of Formical® (calcium formate) and calcium carbonate)	160 mg	12%	12%
Iron (as a blend of Sumalate® (ferrous asparto glycinate) and ferrous fumarate)	28 mg	156%	104%
Iodine (as potassium iodide)	150 mcg	100%	52%
Magnesium (as magnesium oxide)	50 mg	12%	13%
Docosahexaenoic Acid (DHA)	400 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

OTHER INGREDIENTS: Beeswax, palm shortening, and soy lecithin. Gelatin capsule (FD&C Blue #1, FD&C Red #40, gelatin, glycerin, purified water, sorbitol, and titanium dioxide).

INDICATIONS: PRENATE ENHANCE® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE ENHANCE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One softgel daily, or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-309-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE ENHANCE®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Formical® is a registered trademark of Nephro-Tech 1, LLC

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

Prenate Restore®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE RESTORE® is a prescription postnatal vitamin dietary supplement that contains probiotics, DHA, and advanced calcium. Each dark blue softgel is imprinted with “Omega Rx” on one side and blank on the other.

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	10		
Total Fat	1 g	1%*	1%*
Saturated Fat	0 g	0%*	0%*
Trans Fat	0 g	†	†
Vitamin C (as ascorbic acid)	85 mg	94%	71%
Vitamin D (as cholecalciferol)	25 mcg	125%	167%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	24%
Vitamin B6 (as pyridoxine HCl)	25 mg	1471%	1250%
Folate 1.1 mg Quatrefolic® (as (6S)-5-methyltetrahydrofolate glucosamine salt (equivalent to 600 mcg of folic acid) and folic acid USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	12 mcg	500%	429%
Biotin	500 mcg	1667%	1429%
Calcium (as a blend of Formical® (calcium formate) and calcium carbonate)	160 mg	12%	12%
Iron (as a blend of Sumalate® (ferrous asparto glycinate) and ferrous fumarate)	27 mg	150%	100%
Magnesium (as magnesium oxide)	45 mg	11%	11%
Bacillus Coagulens (as Lactospore®) 150 Million CFU	10 mg	†	†
Docosahexaenoic Acid (DHA)	400 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

OTHER INGREDIENTS: Beeswax, palm shortening, and soy lecithin. Gelatin capsule (FD&C Blue #1, FD&C Red #3, gelatin, glycerin, purified water, sorbitol, and titanium dioxide).

INDICATIONS: PRENATE RESTORE® s a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women during the postnatal period for both lactating and non-lactating mothers.

CONTRAINDICATIONS: PRENATE RESTORE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One softgel daily, or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-308-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE RESTORE®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Formical® is a registered trademark of Nephro-Tech 1, LLC

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

LactoSpore® is a registered trademark of Sabinsa Corporation.

Prenate Chewable®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE CHEWABLE® is a prescription prenatal/postnatal multivitamin/mineral chocolate chewable tablet. Each tablet is brown and imprinted with “Prenate Chew” on one side and blank on the other.

Supplement Facts

Serving Size: 1 Tablet
Servings Per Container: 30

Each Tablet Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	10		
Total Carbohydrate	2 g	<1%*	<1%*
Total Sugar	1 g	†	†
Vitamin D (as cholecalciferol)	7.5 mcg	38%	50%
Vitamin B6 (as pyridoxine HCl)	10 mg	588%	500%
Folate 1.1 mg Quatrefolic® (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	125 mcg	5208%	4464%
Biotin	280 mcg	933%	800%
Calcium (as calcium carbonate)	500 mg	39%	39%
Magnesium (as magnesium oxide)	50 mg	12%	13%
Boron Amino Acid Chelate	250 mcg	†	†
Blueberry Extract	25 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

PRENATE CHEWABLE® MAY CONTAIN SOY.

OTHER INGREDIENTS: Cocoa powder, magnesium stearate, maltodextrin, modified food starch, natural milk chocolate flavor, silica, stearic acid, and sucrose.

INDICATIONS: PRENATE CHEWABLE® is a multivitamin/multimineral dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE CHEWABLE® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin. While prescribing this nutritional supplement for pregnant women, nursing mothers or for women prior to conception, their medical condition and other drugs, herbs and/or supplements consumption should be considered.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One tablet daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 tablets (75854-306-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE CHEWABLE®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Prenate Elite®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE ELITE® is a white, oval, oil- and water-soluble, multivitamin/multimineral, film-coated tablet debossed with "PN" on one side and blank on the other. Contains no ingredient made from gluten-containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Tablet
Servings Per Container: 30

Each Tablet Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Vitamin A (as beta-carotene)	780 mcg RAE	87%	60%
Vitamin C (as ascorbic acid)	75 mg	83%	63%
Vitamin D (as cholecalciferol)	15 mcg	75%	100%
Vitamin E (as dl-alpha tocopheryl acetate)	18 mg	120%	95%
Thiamin (as thiamine mononitrate)	3 mg	250%	214%
Riboflavin	3.5 mg	269%	219%
Niacin (as niacinamide)	21 mg	131%	117%
Vitamin B6 (as pyridoxine HCl)	21 mg	1235%	1050%
Folate (as 1.11 mg of (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid,USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	13 mcg	542%	464%
Biotin	330 mcg	1100%	943%
Calcium (as calcium formate) Formical®	160 mg	12%	12%
Iron (as ferrous asparto glycinate) Sumalate®	20 mg	111%	74%
Iodine (as potassium iodide)	150 mcg	100%	52%
Magnesium (as magnesium oxide)	25 mg	6%	6%
Zinc (as zinc oxide)	15 mg	136%	115%
Copper (as cupric oxide)	1.5 mg	167%	115%

OTHER INGREDIENTS: Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose, Silicon Dioxide, Stearic Acid. Film Coating (Hypromellose, Titanium Dioxide, Triacetin).

INDICATIONS: PRENATE ELITE® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE ELITE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one tablet daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 tablets. (75854-314-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, ELITE®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Formical® is a registered trademark of Nephro-Tech 1, LLC

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

Prenate Essential®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE ESSENTIAL® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each softgel is dark green in color, opaque, and imprinted with “Prenate” on one side and blank on the other.

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	10		
Total Fat	0.5 g	<1%*	<1%*
Saturated Fat	0 g	0%*	0%*
Trans Fat	0 g	†	†
Vitamin C (as ascorbic acid)	90 mg	100%	75%
Vitamin D (as cholecalciferol)	5.5 mcg	28%	37%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	24%
Vitamin B6 (as pyridoxine HCl)	26 mg	1529%	1300%
Folate (as 1.1 mg of (6S)-N5-methyl-tetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	13 mcg	542%	464%
Biotin	280 mcg	933%	800%
Calcium (as Formical® (calcium formate))	160 mg	12%	12%
Iron (as Sumalate® (ferrous asparto glycinate))	18 mg	100%	67%
Iodine (as potassium iodide)	150 mcg	100%	52%
Magnesium (as magnesium oxide)	50 mg	12%	13%
Docosahexaenoic Acid (DHA)	300 mg	†	†
Eicosapentaenoic Acid (EPA)	40 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

PRENATE ESSENTIAL® CONTAINS FISH OIL AND SOY.

OTHER INGREDIENTS: Capsule gelatin (gelatin, sorbitol, glycerin, purified water, turmeric, and sodium copper chlorophyllin), soy lecithin, yellow beeswax and soybean oil.

INDICATIONS: PRENATE ESSENTIAL® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE ESSENTIAL® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-313-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE ESSENTIAL®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Formical® is a registered trademark of Nephro-Tech 1, LLC

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.

Prenate DHA®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE DHA® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each softgel is blue in color, opaque, and imprinted with "DHA" on one side and blank on the other.

Supplement Facts

Serving Size: 1 Softgel
Servings Per Container: 30

Each Softgel Contains	Amount Per Serving	% Daily Value	% Daily Value for Pregnant & Lactating Women
Calories	10		
Total Fat	0.5 g	<1%*	<1%*
Saturated Fat	0 g	0%*	0%*
Trans Fat	0 g	†	†
Vitamin C (as ascorbic acid)	90 mg	100%	75%
Vitamin D (as cholecalciferol)	10 mcg	50%	67%
Vitamin E (as dl-alpha tocopheryl acetate)	18 mg	120%	95%
Vitamin B6 (as pyridoxine HCl)	26 mg	1529%	1300%
Folate 1.1 mg Quatrefolic® (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	425%	283%
Vitamin B12 (as cyanocobalamin)	25 mcg	1042%	893%
Calcium (as Formical® (calcium formate))	160 mg	12%	12%
Iron (as Sumalate® (ferrous asparto glycinate))	18 mg	100%	67%
Magnesium (as magnesium oxide)	50 mg	12%	13%
Docosahexaenoic Acid (DHA)	300 mg	†	†

† Daily Value (DV) not established.
* Percent Daily Values (DV) are based on a 2,000 calorie diet

PRENATE DHA® CONTAINS FISH OIL AND SOY.

OTHER INGREDIENTS: Gelatin capsule (FD&C Blue #1, FD&C Red #3, gelatin, glycerin, purified water, sorbitol, and titanium dioxide), beeswax, soy lecithin, and soybean oil.

INDICATIONS: PRENATE DHA® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

PRENATE DHA® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE DHA® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-312-30)

The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
4290-v1 Rev. 06/26

PRENATE®, PRENATE DHA®, and AVION® are registered trademarks of Avion Pharmaceuticals, LLC. All rights reserved.

Quatrefolic® is a registered trademark of Gnosis, SpA. Covered by one or more claims of U.S. Patent # 7,947,662 CAS# 1181972-37-1

Formical® is a registered trademark of Nephro-Tech 1, LLC

Sumalate® is a registered trademark and is covered by one or more claims of U.S. Patent Nos. 8,007,846 and 8,425,956, all owned by Albion Laboratories, Inc.